

Guest Side Accessibility Standards

Cvent adheres to Section 508 standards from the perspective of guest side users who are registering for events and/or completing surveys using our application. Cvent adheres to the 16 guidelines as specified below.

	Criteria	Remarks and Explanations
(a)	A text equivalent for every non text element shall be provided (e.g., via “alt,” “longdesc,” or in element content).	The product contains alt and title tags for images which can be customized when added by the planner.
(b)	Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	The product does not contain multimedia presentations except when added by the planner.
(c)	Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	The product contains header tags for all colored divider bars to let users know they are entering a new section of the page.
(d)	Documents shall be organized so they are readable without requiring an associated style sheet.	The product utilizes Cascading Style Sheets (CSS) for presentation settings to pages are still legible when stylesheets are turned off.
(e)	Redundant text links shall be provided for each active region of a server-side image map.	The product contains no server-side image maps.
(f)	Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	The product contains no server-side image maps.
(g)	Row and column headers shall be identified for data tables.	The product contains <th> tags to identify headers in a data table except when added by the planner.
(h)	Markup shall be used to associated data cells and header cells for data tables that have two or more logical levels of row or column headers.	The product contains <th> tags to identify headers in a data table except when added by the planner.
(i)	Frames shall be titled with text that facilitates frame identification and navigation.	Frames are not used within the Cvent product.
(j)	Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	The website pages do not flicker with a frequency greater than 2 Hz and lower than 55 Hz.

(k)	A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Text-only pages are seldom-used last resort implemented only when accessibility standards cannot otherwise be met.
(l)	When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	JavaScript within the guest side can be read by Assistive Technology.
(m)	When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	No pages require specific applets, plug-ins or other applications.
(n)	When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information field elements, and functionality required for completion and submission of the form, including all directions and cues.	Electronic forms can be used with Assistive Technology.
(o)	A method shall be provided that permits users to skip repetitive navigation links.	Skip Navigation links are available for users to skip to the main content on website pages with top or left navigation menus.
(p)	When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	As a security feature, Cvent logs out idle users after 40 minutes. However, no individual pages require a timed response.